

WHAT IS CLAIMED IS:

1 1. A mouse connected to a personal computer, comprising:  
2 a casing body, provided with a space for housing a data storage  
3 medium therein; and  
4 a data processor, which communicates data between the personal  
5 computer and the data storage medium housed in the casing body.

1 2. The mouse as set forth in claim 1, further comprising a door member  
2 which covers an opening formed on the casing body, through which the data  
3 storage medium is inserted or ejected, in a closed position thereof; and  
4 wherein the door member constitutes a part of an outer face of the  
5 casing body at the closed position thereof.

1 3. The mouse as set forth in claim 2, wherein the door member includes  
2 a pair of first doors which is pivotable laterally.

1 4. The mouse as set forth in claim 3, wherein the door member includes  
2 a second door which is pivotable vertically.

1 5. The mouse as set forth in claim 4, wherein the second door retains  
2 the first doors at the closed position thereof, when the second door is closed.

1 6. The mouse as set forth in claim 5, further comprising an urging  
2 member which urges at least one of the first doors and the second door toward

3. an opened position thereof.

1 7. The mouse as set forth in claim 2, further comprising an urging  
2 member which urges the door member toward the closed position thereof.

1 8. The mouse as set forth in claim 7, further comprising a button  
2 member, which opens the door member against the urging force of the urging  
3 member when the button member is depressed.

1 9. The mouse as set forth in claim 2, further comprising an ejector for  
2 moving the data storage medium housed in the casing body toward the  
3 opening.

1 10. The mouse as set forth in claim 9, wherein the ejector includes a  
2 slider which is supported within the casing so as to be slidable in an  
3 inserting/ejecting direction of the data storage medium.

1 11. The mouse as set forth in claim 10, wherein the slider includes a  
2 projection engaged with a concave portion which is previously formed on the  
3 data storage medium.

1 12. The mouse as set forth in claim 10, wherein the slider includes an  
2 operating member which is exposed to the outside of the casing body so as to  
3 be movable in the inserting/ejecting direction of the data storage medium; and  
4 wherein the operating member is moved toward the ejecting direction

5 so that the slider is moved toward the opening.

1 13. The mouse as set forth in claim 10, wherein the slider is always urged  
2 toward the inserting direction of the data storage medium.

1 14. The mouse as set forth in claim 1, further comprising a cable, through  
2 which the data processor communicates the data.

1 15. The mouse as set forth in claim 14, wherein the cable is connected to  
2 a USB standard connector provided with the personal computer.

1 16. The mouse as set forth in claim 14, wherein the cable is connected to  
2 a PS/2 standard connector provided with the personal computer.

1 17. The mouse as set forth in claim 1, wherein the data processor  
2 communicates the data wirelessly.